

Migraine Treatment Plan



This Migraine Treatment Plan is intended to provide family members, friends, and your physician with information about your migraines and treatment.

NAME:	
STREET ADDRESS: CITY/STATE/ZIP:	
PHONE:	
PRIMARY PHYSICIAN'S NAME:	
STREET ADDRESS: CITY/STATE/ZIP:	
HOME PHONE: OFFICE PHONE: OTHER NUMBERS:	
FREQUENCY OF MIGRAINES:	
DURATION OF MIGRAINE ATTACKS:	
PRE-HEADACHE SYMPTOMS:	
ASSOCIATED SYMPTOMS:	
COMMON TRIGGERS:	
MEDICATIONS & INSTRUCTIONS FOR USAGE: PROPHYLACTIC/PREVENTIVE	
MEDICATIONS & INSTRUCTIONS FOR USAGE: ACUTE	

For full U.S. Prescribing Information, please visit www.AXERT.com

IMPORTANT SAFETY INFORMATION

AXERT[®] is a prescription medication for the acute treatment of migraine with or without aura in adults. You should not take AXERT[®] if you have heart disease, uncontrolled high blood pressure or have ever had heart disease. If you have risk factors for heart disease (high blood pressure, high cholesterol, diabetes, obesity, smoking, family history of heart attack, menopause, or are a male over 40 years of age), or if you are pregnant, nursing, or thinking about becoming pregnant, talk with your doctor before taking AXERT[®]. Tell your doctor about all prescription and over-the-counter medications you are taking.

AXERT[®], like other triptans, may be associated with a potentially life-threatening condition mainly when taken together with selective serotonin reuptake inhibitors (SSRIs) or serotonin norepinephrine reuptake inhibitors (SNRIs), two classes of drugs for depression or other disorders. Common SSRIs are Celexa[®] (citalopram HBr), Lexapro[®] (escitalopram oxalate), Paxil[®] (paroxetine), Prozac[®]/Sarafem[®] (fluoxetine), Symbyax[®] (olanzapine/fluoxetine), Zoloft[®] (sertraline), and Luvox[®] (fluvoxamine). Common SNRIs are Cymbalta[®] (duloxetine) and Effexor[®] (venlafaxine). If you experience symptoms such as confusion, sweating, flushing, rapid heartbeat, diarrhea, muscle weakness, poor balance, or worsening headache, contact your doctor immediately.

The most common AXERT[®] side effects are nausea, sleepiness, tingling sensation, headache, and dry mouth. Ask your doctor about side effects, possible drug interactions, and any other important questions you may have before taking AXERT[®].

Celexa and Lexapro are registered trademarks of Forest Pharmaceuticals. Paxil is a registered trademark of Glaxo Smith Kline. Symbyax, Prozac/Sarafem and Cymbalta are registered trademarks of Lilly. Zoloft is a registered trademark of Pfizer. Luvox is a registered trademark of Solvay. Effexor is a registered trademark of Wyeth.

AXERT Indication Statement

AXERT[®] Tablets are indicated for the acute treatment of migraine with or without aura in adults. AXERT[®] is not intended for the prophylactic therapy of migraine or for use in the management of hemiplegic or basilar migraine. Safety and effectiveness of AXERT[®] have not been established for cluster headache, which is present in an older, predominantly male population.